5

15

20

30

1

4-METHYLDEC-4-EN-3-OL AND FRAGRANCE COMPOSITION

The present invention refers to 4-methyldec-4-en-3-ol, to a method of its production and to fragrance compositions comprising it.

In the fragrance industry there is a constant demand for new compounds that enhance or improve on odour notes, or impart new odour notes.

Compounds enhancing floral, fruity, green odour notes are of particular interest,

because of the general trend of return to classical natural scents. Surprisingly we found that 4-methyldec-4-en-3-ol fulfils this demand.

Thus, the present invention refers in one of its aspects to the use of 4-methyldec-4-en-3-ol as fragrance.

4-Methyldec-4-en-3-ol may be used alone or in combination with a base material. As used herein, the "base material" includes all known odourant molecules selected from the extensive range of natural products and synthetic molecules currently available, such as essential oils, alcohols, aldehydes and ketones, ethers and acetals, esters and lactones, macrocycles and heterocycles, and/or in admixture with one or more ingredients or excipients conventionally used in conjunction with odourants in fragrance compositions, for example, carrier materials, and other auxiliary agents commonly used in the art.

- The following list comprises examples of known odourant molecules, which may be combined with the compounds of the present invention:
 - ethereal oils and extracts, e.g. tree moss absolute, basil oil, castoreum, costus root
 oil, myrtle oil, oak moss absolute, geranium oil, jasmin absolute, patchouli oil, rose oil,
 sandalwood oil, wormwood oil, lavender oil or ylang-ylang oil;
 - alkohols, e.g. citronellol, EbanolTM, eugenol, farnesol, geraniol, Super MuguetTM,
 lìnalool, phenylethyl alcohol, SandaloreTM, terpineol or TimberolTM.

WO 2005/026092 PCT/CH2004/000570

2

- aldehydes and ketones, e.g. α-amylcinnamaldehyde, GeorgywoodTM,
 hydroxycitronellal, Iso E Super[®], Isoraldeine[®], Hedione[®], maltol, Methyl cedryl ketone, methylionone or vanillin;
- ethers and acetals; e.g. Ambrox[™], geranyl methyl ether, rose oxide or Spirambrene[™].
 - esters and lactones, e.g. benzyl acetate, Cedryl acetate, γ -decalactone, Helvetolide[®], γ -undecalactone or Vetivenyl acetate.

10

30

35

٨

- macrocycles, e.g. Ambrettolide, Ethylene brassylate or Exaltolide®.
- heterocycles, e.g. isobutylchinoline.

The compound of the present invention may be used in a broad range of fragrance applications, e.g. in any field of fine and functional perfumery, such as perfumes, household products, laundry products, body care products and cosmetics. The compound can be employed in widely varying amounts, depending upon the specific application and on the nature and quantity of other odourant ingredients. The proportion is typically from 0.001 to 20 weight percent of the application. In one embodiment, 4-methyldec-4-en-3-ol may be employed in a fabric softener in an amount of from 0.001 to 0.05 weight percent. In another embodiment, 4-methyldec-4-en-3-ol may be used in fine perfumery in amounts of from 0.1 to 20 weight percent, more preferably between 0.1 and 5 weight percent. However, these values are given only by way of example, since the experienced perfumer may also achieve effects or may create novel accords with lower or higher concentrations.

The compound of the present invention may be employed into the fragrance application simply by directly mixing the fragrance composition with the fragrance application, or they may, in an earlier step be entrapped with an entrapment material, for example, polymers, capsules, microcapsules and nanocapsules, liposomes, film formers, absorbents such as carbon or zeolites, cyclic oligosaccharides and mixtures thereof, or they may be chemically bonded to substrates, which are adapted to release 4-methyldec-4-en-3-ol upon application of an external stimulus such as light, enzyme, or the like, and then mixed with the application.

Thus, the invention additionally provides a method of manufacturing a fragrance application, comprising the incorporation of 4-methyldec-4-en-3-ol as a fragrance ingredient, either by directly admixing it to the application or by admixing a fragrance composition comprising 4-methyldec-4-en-3-ol, which may then be mixed to a fragrance application, using conventional techniques and methods.

As used herein, "fragrance application" means any product, such as fine perfumery, e.g. perfume and eau de toilette; household products, e.g. detergents for dishwasher, surface cleaner; laundry products, e.g. softener, bleach, detergent; body care products, e.g. shampoo, shower gel; and cosmetics, e.g. deodorant, vanishing creme, comprising an odourant. This list of products is given by way of illustration and is not to be regarded as being in any way limiting.

4-Methyldec-4-en-3-ol may be prepared for example by alkylation of 2-methylnon-2enal in the presence of ethylmagnesium bromide according to the procedure described in example 1.

20 Example 1: 4-Methyldec-4-en-3-ol

٨٤

10

25

30

35

1

A solution of 2-methylnon-2-enal (2.7 g, 19 mmol) in diethyl ether (10 ml) was slowly added, under nitrogen, to a 3M solution of ethylmagnesium bromide in diethyl ether (7.0 ml, 21 mmol) diluted with the same solvent (10 ml) at 0 - 5°C, under nitrogen. The reaction mixture was stirred at room temperature for 24 h, poured on an ice-cold 2N HCl solution and extracted with MTBE (100 ml). The combined organic layers were washed with brine (2 x 100 ml), dried (MgSO₄) and concentrated in vacuo. The crude product (1.8 g, 55% yield) was purified by flash chromatography (silica gel; *n*-hexane/MTBE 4:1) to provide an olfactorily pure sample. B.p. 99°C/10 mbar.

¹H-NMR (400 MHz, in CDCl₃): δ 0.82 (t, J = 7.5, 3H), 0.89 (t, J = 7.0, 3H), 1.22-1.42 (m, 6H), 1.53 (m, 2H), 1.56 (s, 3H), 2.01 (q, J = 7.2, 2H), 2.73 (s, 1H), 3.85 (t, J = 6.8, 1H), 5.34 (t, J = 7.2, 1H). ¹³C NMR (100 MHz, in CDCl₃): δ 9.9 (q), 10.7 (q), 13.8 (q), 22.4 (t), 27.3 (t), 27.4 (t), 29.1 (t), 31.4 (t), 79.2 (t), 126.6 (t), 136.7 (t). IR (neat): t0 (t1) t2 (t3), 2858, 1458, 1335, 1099, 1002, 963 cm⁻¹.

Odour description: Floral, rosy, fatty, fresh, metallic, green.

Example 2: Fragrance composition for a soap

5 Ingredient Part per weight Agrumex 15 50 4-t-Butylcyclohexyl acetate 10 Carbitol 302 p-Cresol 12 Damascenone 1% in DPG 15 Damascone delta 1% in DPG 20 Ethyl maltol 2 15 Fructone 10 Heliotropin 10 Hydroxycitronellal 20 4-(p-Hydroxyphenyl)-2-butanone 5 lonone beta 300 20 Iso E Super 50 Lilial 20 Linalool 40 Methylionone 500 Neofolione 10 Nonadienal 10% in TEC 2 25 Sandela 50 Terpenyl acetate 20 p-Tolulaldehyde 2 5 Vaniline Verdyl acetate 20 30 4-Methyldec-4-en-3-ol 20 1500

⁴⁻Methyldec-4-en-3-ol makes this composition smell rounder, richer, more creamy and fruity, giving it a green natural touch.

WO 2005/026092 PCT/CH2004/000570

5

<u>Claims</u>

- 1. 4-Methyldec-4-en-3-ol.
- 2. The use of 4-methyldec-4-en-3-ol as fragrance ingredient.
- 3. A fragrance composition comprising 4-methyldec-4-en-3-ol.
- 4. A method of manufacturing a fragrance application, comprising the step of incorporating 4-methyldec-4-en-3-ol.

INTERNATIONAL SEARCH REPORT

PCT7CH2004/000570

| A CLASSIE | CATION OF SUBJECT MATTER | | | |
|--|---|---|-------------------------|--|
| ÎPC 7 | COTC33/03 C11B9/00 | | | |
| | | | Į | |
| According to | International Patent Classification (IPC) or to both national classification | on and IPC | | |
| B. FIELDS S | SEARCHED | and the last | | |
| Minimum doo | cumentation searched (classification system followed by classification C07C C11B | symbols) | | |
| 110 / | 00/0 0115 | | | |
| Desumentati | on searched other than minimum documentation to the extent that suc | h documents are included in the fields sea | rched | |
| Cocumentar | on source out of their thinness core | | | |
| | ala base consulted during the international search (name of data base | and, where practical, search terms used) | | |
| | | | | |
| EPO-In | ternal, CHEM ABS Data, BEILSTEIN Data | , H, I Duou | | |
| | · | | | |
| | | | | |
| | ENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevance. | rant passages | Relevant to claim No. | |
| Category ° | Citation of document, with indication, where appropriate, of the 1995 | , p | | |
| _ | EP 0 086 945 A (L. GIVAUDAN & CIE | SOCIETE | 1-4 | |
| Α | ANONYME) 31 August 1983 (1983-08-3 | 31) | | |
| | claims 1-19 | | | |
| ١, | EP 0 045 453 A (L. GIVAUDAN & CIE | SOCIETE | 1-4 | |
| A | | | | |
| | ANONYME) 10 February 1982 (1982-0) claims 1-21 | | | |
| | | | | |
| | · | | | |
| | | | | |
| 1 | | | | |
| | · | • | | |
| 1 | | • | | |
| | | | | |
| | İ | | | |
| | Ì | | | |
| | | | | |
| Fu | ther documents are listed in the continuation of box C. | X Patent family members are listed | ln annex. | |
| ° Special o | categories of cited documents : | "T" later document published after the into or priority date and not in conflict with | ernational filing date | |
| 'A' docum | nent defining the general state of the art which is not addred to be of particular relevance | cited to understand the principle or the invention | eory underlying the | |
| *E* earlier document but published on or after the international "X* document of particular relevance; the claimed invention | | | | |
| 11 door | date nent which may throw doubts on priority claim(s) or | involve an inventive step when the di 'Y' document of particular relevance; the | ocument is taken alone | |
| citati | h is clied to establish the publication date of another ion or other special reason (as specified) | cannot be considered to involve an il | nventive step when the | |
| othe | ment referring to an oral disclosure, use, exhibition or remans | ments, such combination being obvious in the art. | ous to a person skilled | |
| *P* docur | ment published prior to the international filing date but than the priority date claimed | *8* document member of the same paten | t family | |
| | e actual completion of the international search | Date of mailing of the International se | arch report | |
| | 3 February 2005 | 11/02/2005 | | |
| <u> </u> | | Authorized officer | | |
| Name an | d mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 | • | | |
| | NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016 | Kleidernigg, O | | |

INTERNATIONAL SEARCH REPORT

PCT7CH2004/000570

| Patent document cited in search report | | Publication date | | Patent family member(s) | Publication date |
|---|---|------------------|----|-------------------------|---------------------|
| EP 0086945 | Α | 31-08-1983 | DE | 3360016 D1 | 17-01-1985 |
| | | | EP | 0086945 A1 | 31-08-1983 |
| | | | JP | 1772833 C | 14-07-1993 |
| | | | JP | 4065814 B | 21-10-1992 |
| | | | JP | 58128332 A | 30-07-1983 |
| | | | US | 4572795 A | 25-02-1986 |
| EP 0045453 | Α | 10-02-1982 | BR | 8104839 A | 13-04-1982 |
| | | | CA | 1177094 A1 | 30-10-1984 |
| | | | DE | 3162292 D1 | 22-03-1984 |
| | | | EP | 0045453 A1 | 10-02-1982 |
| | | | ES | 8203811 A1 | 16-07-1982 |
| | | | US | 4482762 A | 13-11-1984 |
| | | | US | 4585662 A | 29-04-1986 |
| | | | JP | 1680166 C | 13-07-1992 |
| | | | JP | 3046455 B | 16-07-1991 |
| | | | JP | 57058636 A | 08-04-1982 |